Volume 1, Issue 2, October-December 2026
e-ISSN: 2839-5247

Journal of INDIAN KNOWLEDGE STUDIES (JIKS)

Ayurvedic Medicinal Plants in Green Nanotechnology: From Traditional Knowledge to Modern Biomedical Applications

Shilpi Rawat[1*], Rashmi Gupta[2], Manju Singh[3]

[1,3]*University Institute of Technology, Rajiv Gandhi Proudyogiki Vishwavidyalaya, Bhopal*
[2]*Department of Chemistry, Shree Dronacharya (P.G.) College, Dankaur,*

ABSTRACT

Nanotechnology has opened new possibilities for designing materials with unique properties at the atomic and molecular scale, but conventional synthesis methods often rely on toxic chemicals, high energy consumption, and hazardous by-products that raise serious environmental and safety concerns. Green nanotechnology offers a cleaner, more sustainable alternative by using biological resources—particularly plants—to produce nanoparticles through simple, eco-friendly reactions. Among the many plant sources explored for this purpose, Ayurvedic medicinal plants stand out as an especially promising option, given their long history of therapeutic use and their rich content of bioactive phytochemicals such as flavonoids, alkaloids, terpenoids, and polyphenols. These naturally occurring compounds not only reduce and stabilize metal ions during nanoparticle formation but also carry over their own antimicrobial, antioxidant, anti-inflammatory, and wound-healing properties into the resulting nanomaterials.This study explores how traditional Ayurvedic knowledge can be meaningfully connected to modern nanotechnology, focusing on well-known medicinal plants such as Neem, Tulsi, Turmeric, Ashwagandha, Giloy, Amla, Aloe vera, Brahmi, and Shatavari.

KEYWORDS
Green Nanotechnology, Ayurvedic Medicinal Plants, Phytochemicals, Green Synthesis, Biomedical Applications.

ARTICLE HISTORY
Received: 15 September 2026
Revised: 28 September 2026
Accepted: 15 October 2026
Published: 26 October 2026

CITATION
Rawat, S., (2026). Ayurvedic Medicinal Plants in Green Nanotechnology: From Traditional Knowledge to Modern Biomedical Applications. *Journal of Indian Knowledge Studies (J. Indian Knowl. Stud.)*, 1(2), 54-63.
https://doi.org/10.71371/jiks.54-63

Introduction

Nanotechnology has emerged as one of the most transformative fields of modern science, enabling the design and fabrication of materials with dimensions typically ranging from 1 to 100 nm. At this nanoscale, materials exhibit unique physicochemical properties, including high surface area, enhanced catalytic activity, tuneable optical behaviour, and improved biological interactions. These properties have significantly expanded the applications of nanomaterials in medicine, pharmaceuticals, environmental remediation, agriculture, food technology, catalysis, and biosensing **[1]**. Among the different classes of nanomaterials, metal and metal oxide nanoparticles have attracted considerable attention because of their antimicrobial, antioxidant, anticancer, anti-inflammatory, and drug delivery capabilities **[2]**. However, conventional physical and chemical synthesis methods often require toxic reducing agents, hazardous organic solvents, and high-energy processing conditions, which raise concerns regarding environmental safety and sustainability. Green nanotechnology has emerged as an environmentally sustainable alternative that integrates the principles of green chemistry with nanomaterial synthesis. This approach promotes the use of renewable biological resources, aqueous reaction systems, energy-efficient processes, and

environmentally benign reducing agents while minimizing hazardous waste generation . Plant-mediated synthesis has become one of the most widely investigated green approaches because plant extracts contain abundant phytochemicals—including polyphenols, flavonoids, terpenoids, alkaloids, tannins, proteins, and polysaccharides—that simultaneously reduce metal ions and stabilize the resulting nanoparticles **[3]**. Compared with conventional synthesis, green methods are generally simpler, cost-effective, scalable, and produce nanoparticles with improved biocompatibility for biomedical applications.

The increasing industrial production of nanomaterials has highlighted the need for sustainable synthesis strategies that minimize environmental impact while maintaining product quality. Conventional synthesis methods frequently employ hazardous chemicals such as sodium borohydride and hydrazine, consume substantial amounts of energy, and generate toxic by-products that require costly disposal procedures **[4]**. Sustainable nanoparticle synthesis addresses these limitations by utilizing renewable plant resources, reducing chemical waste, lowering energy consumption, and improving process safety. Furthermore, phytochemical-coated nanoparticles often exhibit enhanced colloidal stability and biological activity because naturally adsorbed biomolecules contribute to antimicrobial, antioxidant, and anti-inflammatory functions. Consequently, green synthesis supports the principles of sustainable development and the circular bioeconomy while expanding opportunities for biomedical innovation.Ayurveda, one of the world's oldest traditional systems of medicine, represents an extensive repository of medicinal plants rich in biologically active phytochemicals suitable for green nanoparticle synthesis **[5,6]**. Medicinal plants such as Azadirachta indica (Neem), Ocimum tenuiflorum (Tulsi), Curcuma longa (Turmeric), Withania somnifera (Ashwagandha), Tinospora cordifolia (Giloy), Emblica officinalis (Amla), and Aloe vera contain diverse secondary metabolites, including flavonoids, phenolic acids, terpenoids, alkaloids, glycosides, and polysaccharides, which function as natural reducing and capping agents during nanoparticle synthesis . In addition to facilitating nanoparticle formation, these phytochemicals may enhance antimicrobial, antioxidant, anti-inflammatory, and cytoprotective properties, thereby increasing the therapeutic potential of green-synthesized nanomaterials .The Indian Knowledge System (IKS) encompasses traditional scientific knowledge related to medicine, agriculture, metallurgy, biodiversity, and environmental stewardship that has evolved over centuries.

2. Fundamentals of Ayurveda Relevant to Nanotechnology

Ayurveda, meaning "the science of life," is one of the oldest holistic healthcare systems, originating in the Indian subcontinent over 3,000 years ago. It emphasizes the maintenance of health through a balanced interaction between the body, mind, spirit, and environment. Unlike conventional medicine, which primarily focuses on disease treatment, Ayurveda adopts a preventive and personalized approach aimed at restoring physiological equilibrium and enhancing overall well-being . In recent years, growing scientific interest in natural products and sustainable technologies has led to the integration of Ayurvedic principles with modern nanotechnology **[7]**. Medicinal plants extensively described in Ayurvedic literature contain diverse phytochemicals capable of reducing, stabilizing, and functionalizing metal nanoparticles, thereby providing an environmentally friendly platform for green nanotechnology .Several fundamental concepts of Ayurveda—including Panchamahabhuta, Tridosha, Rasayana, and Dravyaguna—provide a scientific framework for understanding the therapeutic value of medicinal plants and their potential applications in nanoparticle synthesis. Although these concepts originate from traditional medicine, contemporary research increasingly correlates them with phytochemical composition, biological activity, and biomaterial development.

2.1 Principles of Ayurveda

Ayurveda, often called the "Science of Life", is one of the world's oldest holistic systems of medicine, originating in India more than 5,000 years ago. Unlike modern medicine, which often focuses on treating a disease after it appears, Ayurveda emphasizes maintaining health, preventing illness, and restoring balance in the body, mind, and spirit. It views every individual as unique, and therefore healthcare should be personalized according to a person's physical

constitution, lifestyle, diet, and environment. The fundamental principles of Ayurveda are explained below in a simple manner.

(a) Panchamahabhuta- (the five basic elements — Akasha/space, Vayu/air, Agni/fire, Jala/water, and Prithvi/earth) forms the foundational framework of Ayurvedic physiology. According to this principle, every substance in nature, including the human body and medicinal plants, is composed of varying proportions of these five elements, which govern their physical properties and biological actions **[8].**

(b) Tridosha theory - comprising Vata, Pitta, and Kapha — represents the three fundamental biological forces derived from the Panchamahabhuta that regulate all physiological and metabolic activities in the body. Health is understood as a state of dynamic equilibrium among these three doshas, while disease arises from their imbalance .

(c) Rasayana- one of the eight classical branches of Ayurveda, refers to rejuvenation therapy aimed at promoting longevity, immunity, and overall vitality. Rasayana herbs such as Ashwagandha, Guduchi (Giloy), and Amla are widely recognized for their potent antioxidant, immunomodulatory, and anti-aging properties, largely attributed to their rich phytochemical composition.

(d) Dravyaguna- the Ayurvedic equivalent of pharmacology, systematically classifies medicinal substances according to Rasa (taste), Guna (properties), Virya (potency), Vipaka (post-digestive effect), and Prabhava (specific action). This framework provides a structured method for predicting and understanding the therapeutic action of a plant-derived substance **[9].**Together, these four principles offer a conceptual bridge between classical Ayurvedic pharmacology and the phytochemical mechanisms underlying green nanoparticle synthesis — since the same bioactive compounds (flavonoids, alkaloids, tannins) that define a plant's Rasayana or Dravyaguna properties are often the ones responsible for reducing and stabilizing metal ions during nanoparticle formation.

2.2 From Traditional Knowledge to Green Nanotechnology:

In the Indian Ayurvedic tradition, bhasmas (calcined metal and mineral preparations) have been used therapeutically for millennia, and modern characterization shows that they contain particles in the nanometer range [4]. These examples show that traditional knowledge, built on empirical craft and passed down through generations, was already working with nanoscale matter, even without an understanding of its structure. Modern nanotechnology was formally envisioned in Richard Feynman's 1959 lecture "There's Plenty of Room at the Bottom" [5], and it has since grown into a major field spanning medicine, energy, agriculture, electronics, and environmental remediation. However, many conventional routes to nanomaterials, such as chemical reduction, laser ablation, and chemical vapor deposition, depend on toxic reagents, high energy input, and hazardous waste streams [6]. This tension between technological promise and environmental cost has driven interest in green nanotechnology, which applies the principles of green chemistry [7] to design nanomaterials and nano-enabled products that reduce or eliminate hazardous substances across their life cycle. Green synthesis uses biological resources such as plant extracts, bacteria, fungi, algae, and biomolecules as reducing, capping, and stabilizing agents in place of harsh chemicals [8, 9]. Early demonstrations include the synthesis of silver nanoparticles by living alfalfa [10] and the rapid biosynthesis of gold and silver nanoparticles using neem (Azadirachta indica) leaf broth [11]. Neem is a plant long valued in Indian traditional medicine. Phytochemicals such as flavonoids, terpenoids, phenolic acids, and proteins carry out both reduction and stabilization in a single, mild, aqueous step [12, 13]. The resulting nanoparticles have shown promise in antimicrobial, catalytic, sensing, and biomedical applications [14]. The link between traditional knowledge and green nanotechnology is therefore more than historical curiosity. Ethnobotanical knowledge identifies plants with known bioactivity and safe handling histories, and so offers a rational starting point for selecting biological sources for nanomaterial synthesis. Traditional preparation methods such as grinding, calcination, and aqueous or alcoholic extraction parallel modern green synthesis protocols. At the same time, challenges remain, including batch-to-batch variability of biological extracts, incomplete mechanistic understanding, scalability, and the need for rigorous toxicological and regulatory assessment [15].This work traces the path from

traditional knowledge systems to modern green nanotechnology. It covers historical and indigenous uses of nanomaterials, the principles and mechanisms of green synthesis, key applications, and the open challenges and future directions needed to turn traditional wisdom into sustainable, safe, and scalable nanotechnologies.

2.3 A handful of species show how traditional use turns into laboratory research:

Ayurvedic medicinal plants constitute one of the richest sources of bioactive phytochemicals for the green synthesis of metal and metal oxide nanoparticles. These plants contain a diverse array of secondary metabolites, including polyphenols, flavonoids, tannins, terpenoids, alkaloids, glycosides, proteins, polysaccharides, and organic acids, which act as natural reducing, capping, and stabilizing agents during nanoparticle synthesis **[10]**. Unlike conventional chemical methods that rely on toxic reducing agents and organic solvents, plant-mediated synthesis offers an environmentally benign, cost-effective, and sustainable alternative while producing nanoparticles with enhanced biocompatibility and biological functionality **[11].** The phytochemicals present in Ayurvedic medicinal plants donate electrons to metal ions such as Ag^{+}, Au^{3+}, Zn^{2+}, Cu^{2+}, and Fe^{3+}, reducing them into their corresponding zero-valent or oxide nanoparticles. Simultaneously, these biomolecules adsorb onto the nanoparticle surface, preventing aggregation and improving colloidal stability. This dual functionality simplifies the synthesis process by eliminating the need for separate reducing and stabilizing chemicals . Furthermore, the phytochemical coating often imparts additional antimicrobial, antioxidant, anti-inflammatory, and anticancer properties, making these nanoparticles particularly attractive for biomedical applications.

(a) Neem (Azadirachta indica)

Neem (Azadirachta indica) has been closely associated with traditional Indian healthcare for centuries and remains one of the most widely investigated medicinal plants in modern phytochemical research. Almost every part of the plant—including the leaves, bark, seeds, flowers, and fruits—contains biologically active compounds. These constituents include limonoids, flavonoids, phenolic compounds, terpenoids, tannins, and several other secondary metabolites, although their concentration can vary considerably with the plant part and growing conditions [12]. The chemical richness of neem has also made it interesting for green nanotechnology. In recent years, researchers have explored neem extracts as biological reagents for preparing metallic and metal oxide nanoparticles. Among these, silver nanoparticles have received particular attention because of their strong antimicrobial properties and their potential use in biomedical materials. During nanoparticle synthesis, compounds naturally present in the neem extract can interact with metal ions and may assist in their conversion to nanoparticles. Other molecules can adsorb onto the newly formed particle surface and act as natural capping or stabilizing agents, thereby reducing aggregation. An important advantage of using neem extract is that several functions can potentially be achieved within the same biological system: phytochemicals may contribute to the reduction process, while other constituents help stabilize the nanoparticles.

(b) Turmeric (Curcuma longa)

Turmeric (Curcuma longa) is one of the most familiar medicinal plants associated with the Indian traditional healthcare system. Its rhizome has been used for generations in Ayurveda and traditional practices for various health-related purposes. The biological properties of turmeric are mainly linked to curcuminoids, particularly curcumin, together with desmethoxycurcumin, bisdemethoxycurcumin, essential oils, phenolic compounds, and other phytochemicals. The rich phytochemical composition of C. longa has also attracted attention in green nanotechnology. Molecules containing hydroxyl, carbonyl, and other functional groups can interact with metal ions and nanoparticle surfaces[13]. During plant-mediated nanoparticle synthesis, these compounds may contribute to the reduction of metal ions and subsequently become associated with the surface of the newly formed nanoparticles, where they can influence particle growth and stabilization. Turmeric extracts have been investigated for the biological synthesis of metallic and metal oxide nanoparticles, including silver and gold nanoparticles. These systems are of interest because the nanoparticles can provide

their own physicochemical and biological properties, while plant-derived molecules associated with their surfaces may further influence stability and biological interactions. Such combinations have been explored for antimicrobial, antioxidant, wound-healing, drug-delivery, and other biomedical applications.

(c) Tulsi (Ocimum tenuiflorum)

Ocimum tenuiflorum, commonly known as tulsi or holy basil, has a long history of use in Ayurveda. Its leaves contain essential oils, phenolic compounds, flavonoids, and other secondary metabolites. These constituents make tulsi extracts interesting candidates for plant-mediated nanoparticle synthesis.Tulsi-mediated nanoparticles have been investigated for antimicrobial and antioxidant applications [14].

(d) Ashwagandha (Withania somnifera)

Ashwagandha is an important Ayurvedic medicinal plant containing steroidal lactones known as withanolides, together with other phytochemicals.Its extracts have been explored in nanotechnology because of their chemical diversity and biological properties. Nanoparticle systems based on W. somnifera may offer opportunities for studying antioxidant, antimicrobial, anticancer, and drug-delivery applications [15].

(e) Aloe vera (Aloe barbadensis / Aloe vera)

Aloe vera is widely recognized for topical and wound-related applications.Its gel contains polysaccharides, phenolic constituents, amino acids, vitamins, and other components. Aloe-derived extracts have been investigated as biological media for nanoparticle synthesis.The combination of aloe-derived biomolecules with nanoparticles is particularly interesting for wound-management research because the plant matrix and nanoparticles may provide complementary biological functions.

(f) Amla (Phyllanthus emblica)

Amla, or Indian gooseberry, is traditionally valued for its nutritional and medicinal properties. It contains high levels of polyphenolic compounds and other antioxidant constituents. Its phytochemical richness makes amla a promising candidate for green nanoparticle synthesis. Moringa oleifera contains flavonoids, phenolics, proteins, vitamins, and other biologically active components. Leaf and seed extracts have been investigated in green synthesis approaches. Moringa-mediated nanoparticles are of interest for antimicrobial, antioxidant, catalytic, and biomedical applications.

(g) Giloy (Tinospora cordifolia)

Tinospora cordifolia is another important Ayurvedic plant. It contains alkaloids, diterpenoids, glycosides, polysaccharides, and other constituents. Its potential in green nanotechnology is associated with the ability of its extract to provide biomolecules that can participate in nanoparticle formation and surface modification.Plants that have made the journey.

2.4. Phytochemicals Involved in Nanoparticle Formation

The ability of plant extracts to synthesize nanoparticles is largely associated with their phytochemical composition.

2.4.1 Phenolic compounds

Phenolic compounds can participate in electron-transfer reactions and may contribute to the reduction of metal ions. Their hydroxyl groups can also interact with nanoparticle surfaces.Phenolic compounds are plant secondary metabolites built around one or more hydroxyl groups (-OH) attached directly to an aromatic ring. They range from simple phenolic acids to large polymers such as tannins [16]. They are the main source of the antioxidant, anti-inflammatory and enzyme-modulating activity attributed to many Ayurvedic herbs. Plants make them for defence against UV, pathogens and herbivores, and for pigmentation and signalling.

Biosynthesis:

Shikimate pathway: produces phenylalanine, which is converted to cinnamic acid by phenylalanine ammonia-lyase (PAL). This leads to the phenylpropanoids, including hydroxycinnamic acids, coumarins, lignans and eugenol.Phenylpropanoid plus malonyl-CoA (polyketide) route: chalcone synthase builds the flavonoid skeleton. This

gives flavones, flavonols, flavan-3-ols and anthocyanins.Gallic acid comes from the shikimate pathway and is the building block of hydrolysable tannins.Content in a plant varies with species, tissue, season, soil, light stress and harvest time. This is why standardization is such a problem.

2.4.2 Flavonoids

Flavonoids are particularly interesting because their hydroxyl and carbonyl groups can participate in reduction and stabilization processes. Flavonoids are the largest group of plant phenolics, with over 6,000 known structures. All share a C6-C3-C6 skeleton: two aromatic rings (A and B) joined by a three-carbon bridge that usually closes into a heterocyclic C ring. They occur mostly as glycosides, with sugars attached, and sometimes as free aglycones [17]. They contribute to flower and fruit colour, UV protection, pathogen defence and signalling.

Biosynthesis:

- Phenylalanine enters the phenylpropanoid pathway and becomes 4-coumaroyl-CoA.
- Chalcone synthase combines it with three malonyl-CoA units to form a chalcone, the entry point to all flavonoids.
- Chalcone isomerase closes the ring to give a flavanone (such as naringenin), which is then modified by hydroxylases, reductases and synthases into the different subclasses.
- Glycosyltransferases, methyltransferases and acyltransferases add the decorations that change solubility, stability and activity.
- Light, UV exposure, nutrient stress and pathogen attack raise production, so content varies widely between batches.

2.4.3 Terpenoids

Terpenoids may interact with metal ions and nanoparticle surfaces and can contribute to particle stabilization. Terpenoids (isoprenoids) are the largest class of plant natural products, with tens of thousands of known structures. They are built from five-carbon isoprene units, and the term "terpenoid" covers both pure hydrocarbons (terpenes) and their oxygenated or otherwise modified derivatives. In plants they act as defence compounds, attractants, membrane components (sterols), hormones (gibberellins, abscisic acid) and photosynthetic pigments (carotenoids). Many of the best-known Ayurvedic markers, such as withanolides, bacosides, guggulsterones and nimbolide, are terpenoids rather than phenolics.

Biosynthesis

- Mevalonate (MVA) pathway in the cytosol: makes the precursors for sesquiterpenes, triterpenes and sterols.
- MEP (methylerythritol phosphate) pathway in plastids: makes the precursors for monoterpenes, diterpenes and carotenoids.
- Both routes yield isopentenyl diphosphate (IPP) and dimethylallyl diphosphate (DMAPP). Prenyltransferases join them into geranyl (C10), farnesyl (C15) and geranylgeranyl (C20) diphosphates.
- Terpene synthases cyclize these into the carbon skeletons. Cytochrome P450 oxidases, glycosyltransferases and other enzymes then decorate them, which creates most of the structural diversity.
- Triterpenes form from squalene, produced by joining two farnesyl units. Oxidosqualene cyclases fold it into scaffolds such as dammarane, oleanane and ursane.
- Content varies with plant part, developmental stage, season and stress, which affects standardization.

2.4.4 Alkaloids

Alkaloids possess nitrogen-containing functional groups that may participate in interactions with metallic surfaces. Alkaloids are a diverse group of nitrogen-containing plant metabolites, usually basic (the nitrogen can be protonated) and often strongly physiologically active. Over 20,000 structures are known. In plants they mainly serve as defence against herbivores and pathogens. In medicine they supply some of the most potent drugs ever derived from plants, and also some of the most dangerous toxins. Unlike the phenolics, flavonoids and terpenoids covered earlier, alkaloids are not the defining class for most of the headline Ayurvedic herbs (turmeric, tulsi, amla, guggul). They matter

more in other plants of the tradition, such as Rauvolfia, Berberis, Tinospora, Adhatoda and Piper.

Biosynthesis

- Most alkaloids derive from amino acids: tryptophan (indole alkaloids), tyrosine (isoquinoline alkaloids), lysine (piperidine and quinolizidine), ornithine (tropane and pyrrolizidine) and others.
- Decarboxylation gives an amine, which is then condensed, cyclized, oxidized and methylated by specific enzymes. Strictosidine synthase, which joins tryptamine and secologanin, is the entry point to the large monoterpenoid indole alkaloid family that includes reserpine and ajmaline.
- **Pseudoalkaloids** have the carbon skeleton from non-amino-acid precursors, such as the terpenoid-derived steroidal alkaloids (conessine) and diterpenoid alkaloids (aconitine).
- Production often occurs in specific tissues (roots, bark) and rises with stress, so content varies widely with part, age and harvest.

2.4.5 Proteins and amino acids

Proteins and amino acids present in plant extracts may act as natural capping agents. Their functional groups can bind to the surface of newly formed nanoparticles and reduce uncontrolled aggregation. Proteins are chains of amino acids folded into functional structures, and peptides are shorter chains. Amino acids are the building blocks, and plants also make many non-protein amino acids that are never incorporated into proteins but often have strong biological activity. Unlike the phenolics, flavonoids, terpenoids and alkaloids covered earlier, proteins are rarely the defining actives of the headline Ayurvedic herbs, and they have received less attention in standardization. Their importance lies in a few notable cases (lectins, proteases, bioactive peptides, L-DOPA) and in the nutritional value of protein-rich plant parts.

2.4.6 Carbohydrates

Sugars and polysaccharides can contribute to nanoparticle stabilization and may influence particle growth. Carbohydrates are polyhydroxy aldehydes and ketones and the polymers built from them. In plants they serve as energy stores (starch, inulin), structural material (cellulose, hemicellulose, pectin), and protective or water-retaining substances (gums and mucilages). Most are not “active constituents” in the sense that curcumin or withanolides are. Their medicinal importance comes from a few specific effects: immune modulation by certain polysaccharides, gut and metabolic effects of dietary fibre, soothing and protective properties of mucilages, and a large practical role as excipients and carriers in formulations. The last point matters for drug delivery, because gums and other plant polysaccharides are widely used to build nanocarriers, hydrogels and mucoadhesive systems.

Biosynthesis

- **Photosynthesis** fixes CO_2 into triose phosphates, which become glucose, fructose and sucrose.
- **Nucleotide sugars** (UDP-glucose, GDP-mannose, UDP-galactose, UDP-arabinose and others) are the activated building blocks.
- **Glycosyltransferases** assemble them into polysaccharides in the Golgi (hemicelluloses, pectins, gums) or at the plasma membrane (cellulose, callose).
- **Starch** is made in plastids, **fructans** such as inulin in vacuoles.
- Gums and mucilages are often produced as a response to wounding, drought or secretory-cell differentiation. Plant polysaccharides therefore vary with species, plant part, season, and growing and harvest conditions.

Table 1. Major phytochemical groups involved in plant-mediated nanoparticle synthesis

Phytochemical group	Possible role	Important functional features
Phenolics	Reduction and stabilization	Hydroxyl groups
Flavonoids	Reduction/capping	Hydroxyl and carbonyl groups
Terpenoids	Surface interaction/stabilization	Oxygen-containing groups

Alkaloids	Metal interaction/capping	Nitrogen-containing groups
Proteins	Capping/stabilization	Amino, carboxyl and other groups
Amino acids	Surface binding	Amino or carboxyl groups
Sugars	Stabilization	Multiple hydroxyl groups
Tannins	Reduction and capping	Phenolic hydroxyl groups

2.5 Mechanism of Plant-Mediated Nanoparticle Synthesis

The phytochemicals present in the extract may act as reducing molecules, while other constituents adsorb onto the nanoparticle surface and help prevent aggregation .However, it is scientifically important not to assume that every phytochemical present in an extract participates directly in nanoparticle formation. Mechanistic conclusions should be supported by appropriate analytical evidence.For example, in silver nanoparticle synthesis, silver ions can be reduced to metallic silver: $Ag^{+} \rightarrow Ag^{0}$

Fast reduction gives many small nuclei and small particles. Slow reduction gives fewer, larger or more anisotropic particles.Although the exact mechanism differs between plants and nanoparticle systems, the general process can be represented as in figure 1.

General sequence of events:

Metal ion availability: A salt such as $AgNO_3$ or $HAuCl_4$ is dissolved in water, giving Ag^{+} or $AuCl_4^{-}$. Ions may bind first to functional groups (–OH, –COOH, $–NH_2$, –SH) on phytochemicals, forming metal-ligand complexes.


Reduction: Phytochemicals transfer electrons or hydrogen atoms to the metal ion, converting it to the zero-valent atom (Ag^0, Au^0). The extract's redox-active molecules are oxidized in the process, for example phenols to quinones.

Nucleation: Zero-valent atoms accumulate until the solution is supersaturated, then cluster into tiny stable nuclei.

Growth: Remaining ions are reduced on the surface of existing nuclei, and small particles can fuse or dissolve and redeposit on larger ones (Ostwald ripening). Growth determines final size and shape.

Capping and stabilization: Biomolecules adsorb on the surface, blocking further growth and preventing aggregation through steric hindrance and electrostatic repulsion.

Maturation: Particles may continue to change over hours, and shape, size and surface chemistry depend on how long the reaction runs.



igure 1: General Process for Nanoparticle Systems

3. Conclusion

Ayurvedic medicinal plants show how traditional knowledge can become testable science. Turmeric, ashwagandha, brahmi, neem, tulsi, guggul and amla all have documented bioactive compounds, plausible mechanisms and a growing body of laboratory and clinical work behind them. Their

long history of use has proved a productive source of hypotheses.The evidence is still uneven. Ashwagandha and amla have the most human data, but many trials are small, short and heterogeneous, and results differ across outcomes. Neem and tulsi rest largely on preclinical work or a few small trials, and some trials use proprietary extracts supplied by the manufacturer. Curcumin illustrates the central delivery problem: strong activity in the laboratory, but poor absorption in people, which is why nanoformulations and other delivery systems are an active area of research.Safety and quality need the same attention as efficacy. "Natural" does not mean harmless, as the reports of herb-induced liver injury with ashwagandha show, and contamination and batch variability remain concerns for herbal products generally. Standardized extracts, quality control and pharmacovigilance are therefore as important as new trials.

Progress will depend on a few things:

Standardization: well-characterized extracts with defined marker compounds.

Delivery: formulations that improve bioavailability.

Trials: larger, longer, better-designed controlled studies.

Methods: network pharmacology and reverse pharmacology to capture the multi-compound nature of these remedies.

References:

1. Bayda, S., Adeel, M., Tuccinardi, T., Cordani, M., & Rizzolio, F. (2020). The History of Nanoscience and Nanotechnology: From Chemical–Physical Applications to Nanomedicine. *Molecules*, 25(1), 112. https://doi.org/10.3390/molecules25010112
2. Khan, I., Saeed, K., & Khan, I. (2019). Nanoparticles: Properties, applications and toxicities. *Arabian Journal of Chemistry*, 12(7), 908–931. https://doi.org/10.1016/j.arabjc.2017.05.011
3. Ahmed, S., Ahmad, M., Swami, B. L., & Ikram, S. (2016). A review on plants extract mediated synthesis of silver nanoparticles for antimicrobial applications: A green expertise. *Journal of Advanced Research*, 7(1), 17–28. https://doi.org/10.1016/j.jare.2015.02.007
4. Borehalli Mayegowda, S., Roy, A., N. G., M., Pandit, S., Alghamdi, S., Almehmadi, M., Allahyani, M., Awwad, N. S., & Sharma, R. (2023). Eco-friendly synthesized nanoparticles as antimicrobial agents: an updated review. *Frontiers in Cellular and Infection Microbiology*, 13, 1224778. https://doi.org/10.3389/fcimb.2023.1224778
5. Iravani S. Green synthesis of metal nanoparticles using plants. Green Chem. 2011;13:2638–2650. https://doi.org/10.1039/C1GC15386B
6. Lekkala, V. D. V. V., Muktinutalapati, A. V., Lebaka, V. R., Lomada, D., Korivi, M., Li, W., & Reddy, M. C. (2025). Green Synthesis and Characterization of Silver Nanoparticles from *Tinospora cordifolia* Leaf Extract: Evaluation of Their Antioxidant, Anti-Inflammatory, Antibacterial, and Antibiofilm Efficacies. *Nanomaterials*, 15(5), 381. https://doi.org/10.3390/nano15050381
7. Dahl JA, Maddux BLS, Hutchison JE. Toward greener nanosynthesis. Chem Rev. 2007;107(6):2228–2269. https://doi.org/10.1021/cr050943k
8. Palsra, P., Sharma, S., Kumar, R., & Thamman, R. (2022). Panchamahabhuta- Five Basic Elements and their Utility in Ayurveda: A Review . *International Research Journal of Ayurveda & Yoga*, *5*(2), 166-174. https://doi.org/10.48165/
9. **Verma, R. K.** Pharmacological Concept of Dravyaguna according to Actions. *International Journal of Ayurveda and Herbal Research*, 2023,1(3), 49–53. https://doi.org/10.54060/ijahr.2023.19
10. Eco-friendly nanoparticle phytosynthesis via plant extracts: Mechanistic insights, recent advances, and multifaceted uses2025. *[Journal]* (ScienceDirect).
11. https://doi.org/10.1016/j.ntm.2025.100080
12. Kharissova OV, Dias HVR, Kharisov BI, Pérez BO, Pérez VMJ. The greener synthesis of nanoparticles.TrendsBiotechnol.2013;31(4):240–248. https://doi.org/10.1016/j.tibtech.2013.01.003
13. Islas JF, Acosta E, Zuca M, Delgado-Gallegos JL, Moreno-Treviño MG, Escalante B, et al. An overview of *Azadirachta indica* and its potential impact on health. **J Funct Foods**. 2020;74:104171. doi: **10.1016/j.jff.2020.104171**.

14. "Efficacy of *Curcuma longa* in relieving pain symptoms of knee osteoarthritis patients." 2024;32(1):17-29. doi:10.4078/jrd.2024.0062
15. "Harnessing the Antibacterial, Anti-Diabetic and Anti-Carcinogenic Properties of *Ocimum sanctum* Linn (Tulsi)." *Plants* 2024;13(24):3516. doi:10.3390/plants13243516
16. "Hormonal Modulation with *Withania somnifera*." *Planta Med* 2026;92(8):790-805. doi:10.1055/a-2802-8363
17. Raveendran P, Fu J, Wallen SL. Completely "green" synthesis and stabilization of metal nanoparticles. J Am Chem Soc. 2003;125(46):13940–13941. https://doi.org/10.1021/ja029267j
18. Makarov VV, Love AJ, Sinitsyna OV, Makarova SS, Yaminsky IV, Taliansky ME, et al. "Green" nanotechnologies: Synthesis of metal nanoparticles using plants. Acta Naturae. 2014;6(1):35–44. https://doi.org/10.32607/20758251-2014-6-1-35-44
19. Mittal AK, Chisti Y, Banerjee UC. Synthesis of metallic nanoparticles using plant extracts. Biotechnol Adv. 2013;31(2):346–356. https://doi.org/10.1016/j.biotechadv.2013.01.003

COPYRIGHT:
© 2026 The Author(s). This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC-BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See http://creativecommons.org/licenses/by/4.0/